



Pregis PolyMask®

High-Performance Temporary Protective Films
for Coated & Painted Metals



High-Performance Temporary Protective Films



Rapid Delivery



Domestic Manufacturing



Competitive Pricing



Nationwide Support

Pregis PolyMask[®], a brand of Pregis, is a leading domestic manufacturer of temporary protective films (strippable vinyl/PVC), specialty coatings and adhesive technologies.

When it comes to coated and painted metals, surface protection is a necessity during manufacturing, distribution and installation.

Pregis PolyMask commands a storied history of protecting finished metal surfaces - from coils to insulated panels. That means increased throughput and labor savings, along with avoiding the unnecessary costs of damages.

Pregis PolyMask Promise

- Domestic production offers shorter lead times and less inventory
- UV film formulations offer resistance to extended outdoor exposure
- Stable adhesives with varying tack levels for easy application and removal
- Durable, high-performance films protect surfaces during critical processing, shipment, and installation at the jobsite
- Adhesive systems formulated for a variety of paint/coating systems
- Unparalleled R&D to design films and adhesives tailored to a variety of surface finishes and paint systems
- Vertical integration to ensure the highest quality product
- Color variability for every scenario
- 4-color print capabilities for brand customization



Metal Coils

- **Applications:** Paint, powder coating or specialty coatings to aluminum or steel coils
- **Strategic protection** that not only applies easily to flat sheeting, but expertly stays on during the rewinding process.



Product	Film / Additive	Film thickness (mil)	Adhesion level	Color	Applications
2A826C	Co-ex PE film	2	Medium	Clear	High gloss
15CVU28C	Co-ex PE film / UV resistant (1-3 months)	1.5	Medium	Clear	
2AU827C/UV	Co-ex PE film / UV resistant (3-6 months)	2	Medium	Clear	
15CVU42C	Co-ex PE film / UV resistant (1-3 months)	1.5	Medium-High	Clear	Low gloss / Matte
2186C	LDPE film	2	Medium-High	Clear	Raw hide / Crinkle cut / Natural matte
21U71C	LDPE film / UV resistant (1-3 months)	2	Very High	Clear	
21877B	LDPE film	2	Very High	Blue	
2192C	LDPE film	2	Very High	Clear	

Garage Door Manufacturing

- **Applications:** Commercial and residential overhead garage doors
- **Strategic protection** during embossing, stamping, roll forming, stacking, and environmental variables such as, heat exposure.



Product	Film / Additive	Film thickness (mil)	Adhesion level	Color	Applications
15CV826C	Co-ex PE film	1.5	Medium	Clear	High gloss
15CVU28C	Co-ex PE film / UV resistant (1-3 months)	1.5	Medium	Clear	
2A29C	Co-ex PE film	2	Medium-High	Clear	
15CVU42C	Co-ex PE film / UV resistant (1-3 months)	1.5	Medium-High	Clear	Low gloss / Matte
15CV80C	Co-ex PE film	1.5	Medium-High	Clear	

Roofing and Building Panels

- **Applications:** Metal wall cladding, roofing, ceilings, perimeter edges, and accessories
- **Strategic protection** during roll forming, sheeting, cutting, and stacking, and environmental variables such as heat and UV exposure.



Product	Film / Additive	Film thickness (mil)	Adhesion level	Color	Applications
2A825/6	Co-ex film	2	Medium-Low	Clear	High gloss
15CVU28C	Co-ex film / UV resistant (1-3 months)	1.5	Medium	Clear	
2AU827C/UV	Co-ex PE film / UV resistant (3-6 months)	2	Medium	Clear	
15CVU42C	Co-ex PE film / UV resistant (1-3 months)	1.5	Medium-High	Clear	Low gloss / Matte
2186C	LDPE film	2	Medium-High	Clear	Raw hide / Crinkle cut / Natural matte
21U71C	LDPE film / UV resistant (1-3 months)	2	Very High	Clear	
21877B	LDPE film	2	Very High	Blue	
2192C	LDPE film	2	Very High	Clear	

Insulated Panels

- **Applications:** Metal wall cladding, roofing, ceilings, perimeter edges, cold storage, and accessories
- **Strategic protection** during embossing, stamping, roll forming, stacking, and environmental variables such as heat and UV exposure.



Product	Film / Additive	Film thickness (mil)	Adhesion level	Color	Applications
2A825	Co-ex PE film	2	Medium-Low	Clear	High gloss
15CVU28C	Co-ex PE film / UV resistant (1-3 months)	1.5	Medium	Clear	
15CVU42C	Co-ex PE film / UV resistant (1-3 months)	1.5	Medium-High	Clear	Low gloss / Matte
15CV86C	Co-ex PE film	1.5	Medium-High	Clear	

For more information, contact Bryan McMichael:
BMcMichael@pregis.com or [424-212-3785](tel:424-212-3785).

Products worth
protecting
deserve Pregis



www.PREGIS.COM

